

# CENTRAL POLLUTION CONTROL BOARD

(Ministry of Environment & Forests)

## NOTIFICATION

New Delhi, the 23<sup>rd</sup> September, 1994

**S.0.389(E).**-In exercise of the power vested under Sub-Section 3 of Section 16 and Sub-section 2 of Section 17 read with Section 6 of the Air (Prevention and Control of Pollution) Act, 1981, (Act 14 of 1981), the Central Pollution Control Board established the Laboratories located at :

- i. Delhi - Parivesh Bhawan', East Arjun Nagar, Shahdara, Delhi -110032.
- ii. Calcutta -Zonal Office(East),61, Prince Anwar Shall Road, Calcutta-700033
- iii. Vadodara -Zonal Office(West), Chokshi Chamber,Priya Laxmi Mill Road, Vadodara-390003.
- iv. Kanpur-Zonal Office(Central), I" Floor, 117/5 1 -Q, B lock Sharda Nagar, Gurdeo Place, Kanpur-208025.

The fee payable to these laboratories in respect of each report of the analysis for various analytical parameters for air samples of source monitoring and for air samples of ambient and implant, shall be as per the rates given in schedule.

The rates shall come into force from the date of issue of the notification.

Schedule of Fee for Analysis of various analytical Parameters ill CPCB Laboratories for

Air Samples of Source Monitoring

SI.No.	Parameters	Charge in Rs.
1.	Sampling/measurement of velocity, flow rate, temperature and composition of gas	2000
2.	Particulate matter	300
3.	Sulphur dioxide	300
4	Oxides of nitrogen	300
5.	Acid mist	300
6.	Ammonia	300
7.	Carbon monoxide	300
8.	Chlorine	300
9.	Fluoride(gaseous)	300
10.	Fluoride(particulate)	300
11.(a)	Hydrogen sulphate	300
11.(b)	Hydrogen sulphide	300
12.	Hydrogen chloride	300

13.	PAH (Particulate)each compound	500
-----	--------------------------------	-----

For monitoring of only specific parameter, sampling charges have also to be paid.

For subsequent samples from the same source, sampling charges will be Rs.1000/- per sample.

For reliability 2 to 3 samples are necessary for source measurement.

Note : Transportation charges on actual.

Fee for Analysis of various analytical parameters in CPCB Laboratories for Air Samples of Ambient & Inplant.

Sl.No.	Parameters	Charge in Rs.
1.	2	3
I.	Air Monitoring	
A.	Sampling ((upto 8 hours) and suspended particulate matter	1,000
B.	For every additional parameters additional Charges	
	1. SO <sub>2</sub>	300
	• NO <sub>2</sub>	300
	• Ammonia	300
	• PAH in particulate (or each PAH)	300
	• Chlorine	300
	• Phenol	300
	• Cyanide	300
	• Mercapton	300
	• Acid mist	300
	• Lead and other metals(per metal)	150
	• Analysis using dragger tubes(per tube)	200
II.	Noise Monitoring	
	First monitoring	2,000 -

	Each subsequent monitoring within the same premises	1,000
--	---	-------

Note: Transportation charges on. actual.

[No.Legal/42(3)/87]

D.K.Biswas, Chairman